

HOTEL  
(TITLE 30)

VALLEY VIEW BLVD/NEVSO DR

APP. NUMBER/OWNER/DESCRIPTION OF REQUEST

**ET-22-400063 (WS-18-0789)-CAI LAS VEGAS HOTEL PARTNERS, LLC:**

**WAIVERS OF DEVELOPMENT STANDARDS SECOND EXTENSION OF TIME** for the following: **1)** increase building height; **2)** reduce the height setback to an arterial street for a proposed hotel; **3)** reduce parking; **4)** increase the number of tandem spaces; **5)** alternative parking layout; and **6)** alternative driveway geometrics and design.

**DESIGN REVIEW** for modifications to an approved hotel on 4.8 acres in an H-1 (Limited Resort and Apartment) Zone.

Generally located on the northwest corner of Nevso Drive and Valley View Boulevard within Paradise. MN/jgh/syp (For possible action)

---

RELATED INFORMATION:

**APN:**

162-19-512-004

**WAIVERS OF DEVELOPMENT STANDARDS:**

1. Increase building height for a proposed hotel to 236 feet where 186 feet was previously approved and where 100 feet is the standard per Table 30.40-7 (a 26.9% increase from previous and an 136% increase from standard).
2. Reduce the height setback for a proposed hotel adjacent to an arterial street (Valley View Boulevard) to 10 feet where a minimum of 75.3 feet is required per Figure 30.56-4 (a 86.7% reduction).
3. Reduce parking for a proposed hotel to 215 spaces where a minimum of 314 spaces are required per Table 30.60-1 (a 33.7% reduction).
4. Increase the number of tandem parking spaces to 66 spaces where a maximum of 64 spaces are permitted per section 30.60.050 (a 3.1% increase).
5. Permit an alternative parking layout with spaces a minimum of 8 feet wide and 16.5 feet in length with 20 foot wide drive aisles where a parking lot layout per Table 30.60-4 and Figure 30.60-1 is required.
6.
  - a. Reduce the departure distance from an intersection to a driveway to zero feet where a minimum of 190 feet is required per Uniform Standard Drawing 222.1.
  - b. Reduce throat depth to a minimum of 18 feet where throat depth per Uniform Standard Drawing 222.1 is required.
  - c. Reduce the driveway width to 22 feet where a driveway width per Uniform Standard Drawing 222.1 is required.

**LAND USE PLAN:****WINCHESTER/PARADISE - ENTERTAINMENT MIXED-USE****BACKGROUND:****Project Description****General Summary**

- Site Address: 3821 W. Flamingo Road
- Site Acreage: 4.8
- Number of Units: 284
- Project Type: Modifications to an approved hotel
- Number of Stories: 21
- Building Height (feet): 236
- Square Feet: 222,297
- Parking Required/Provided: 314/215

**History & Request**

UC-0703-16 was approved by the Board of County Commissioners (BCC) in January 2017 for 3 separate developments on the property including a shopping center, a hotel, and a multiple family residential development. The property has since been subdivided and the site of the multiple family residential development is on a separate parcel. The plans approved for the hotel by UC-0703-16 depicted 250 rooms with a height of 177 feet. In May 2018, the BCC approved WS-18-0261 with modifications to the approved hotel which included the following: an increase to 260 rooms, a building height of 186 feet, reductions in setbacks, alternative landscaping, and reduced parking.

**Site Plan**

The hotel site has frontage along Nevso Drive and Valley View Boulevard and is set back a minimum of 10 feet from these streets. The hotel was originally approved in conjunction with a shopping center and multiple family residential development. Shared drive aisles with the shopping center and the residential development provide access to the hotel from Hugh Hefner Drive and Valley View Boulevard. The hotel is set back 10 feet from Valley View Boulevard and Nevso Drive and is zero feet from the common property line (west side) with the residential development. A waiver of development standards was approved with WS-18-0261 to reduce the setback to this property line. The plans depict an access driveway from Nevso Drive for delivery trucks for the hotel.

**Landscaping**

Alternative landscaping was approved with previous land use applications for this site. A minimum 10 foot wide landscape area with a detached sidewalk consisting of trees, shrubs, and groundcover is being provided along Valley View Boulevard. The landscape area adjacent to Nevso Drive has attached sidewalks with minimum 10 foot wide landscape areas consisting of trees, shrubs, and groundcover.

### Elevations

A maximum height of 236 feet was approved for the hotel. The plan indicates the building will be 233 feet in height and the extra height is to allow for necessary lighting, antennas, or screening. The building has a flat roof behind a parapet wall with a combination stucco finish, decorative metal panels, rooftop deck, and pool area.

### Floor Plan

The approved hotel has 21 stories and a basement level. The basement level consists of back of house areas (laundry, employee locker areas, storage). The ground floor is a lobby area and the entrance to the parking garage which includes parking for guests checking in and loading spaces for deliveries. The next 5 levels are a parking garage which depict an alternative parking layout for all the parking spaces within the parking garage. The seventh floor consists of conference rooms, offices, and storage areas. The eighth floor is the front desk/lobby, a restaurant, and offices. Floors 9 through 20 consists of the guest rooms and the twenty-first floor is a fitness center with a rooftop pool and deck. The approved plans depict an increase of 24 guest rooms from the last approval for the hotel (WS-18-0261).

### Signage

Signage is not a part of this request.

### Previous Conditions of Approval

Listed below are the approved conditions for ADET-20-900586 (WS-18-0789):

#### Current Planning

- Until December 19, 2021 to commence.
- Applicant is advised that a substantial change in circumstances or regulations may warrant denial or added conditions to an extension of time; and that the extension of time may be denied if the project has not commenced or there has been no substantial work towards completion within the time specified.

Listed below are the approved conditions for WS-18-0789:

#### Current Planning

- Applicant is advised that a substantial change in circumstances or regulations may warrant denial or added conditions to an extension of time; the extension of time may be denied if the project has not commenced or there has been no substantial work towards completion within the time specified; and that this application must commence within 2 years of approval date or it will expire.

#### Public Works - Development Review

- Drainage study and compliance;
- Traffic study and compliance;
- Full off-site improvements;
- Right-of-way dedication to include 30 feet for Nevso Drive and associated spandrels;
- Nevso Drive entrance will be emergency access only;
- Gates or another controlled access device will be required and to be approved by Public Works and Fire Prevention;

- Additional right-of-way dedications as required by the traffic study to accommodate any physical improvements and pedestrian volumes generated by this project;
- If required by the Regional Transportation Commission (RTC), dedicate and construct right-of-way for bus turnout including passenger loading/shelter areas in accordance with RTC standards;
- Nevada Department of Transportation approval.
- Applicant is advised that the installation of detached sidewalks may require the vacation of excess right-of-way or the dedication of right-of-way to the back of curb and granting necessary easements for utilities, pedestrian access, streetlights, and traffic control or execute a License and Maintenance Agreement for non-standard improvements in the right-of-way.

#### Department of Aviation

- Applicant is required to file a valid FAA Form 7460-1, "Notice of Proposed Construction or Alteration" with the FAA, in accordance with 14 CFR Part 77, or submit to the Director of Aviation a "Property Owner's Shielding Determination Statement" and request written concurrence from the Department of Aviation;
- If applicant does not obtain written concurrence to a "Property Owner's Shielding Determination Statement," then applicant must also receive either a Permit from the Director of Aviation or a Variance from the Airport Hazard Areas Board of Adjustment (AHABA) prior to construction as required by Section 30.48 Part B of the Clark County Unified Development Code;
- No building permits should be issued until applicant provides evidence that a "Determination of No Hazard to Air Navigation" has been issued by the FAA or a "Property Owner's Shielding Determination Statement" has been issued by the Department of Aviation.
- Applicant is advised that the FAA's determination is advisory in nature and does not guarantee that a Director's Permit or an AHABA Variance will be approved; that FAA's airspace determinations (the outcome of filing the FAA Form 7460-1) are dependent on petitions by any interested party and the height that will not present a hazard as determined by the FAA may change based on these comments; that the FAA's airspace determinations include expiration dates; and that separate airspace determinations will be needed for construction cranes or other temporary equipment.

#### Clark County Water Reclamation District (CCWRD)

- Applicant is advised that CCWRD is unable to verify sewer capacity based on this zoning application; to find instruction for submitting a Point of Connection (POC) request on the CCWRD website; and that a CCWRD approved POC must be included when submitting civil improvement plans.

#### Applicant's Justification

The applicant indicates water and fiber lines have been relocated and steel for the shoring is set to be delivered by the end of the year.

### Prior Land Use Requests

Application Number	Request	Action	Date
ADET-20-900586 (WS-18-0789)	Administrative extension for a waiver to increase building height, alternative parking, and reduced setback for a proposed hotel	Approved by ZA	May 2022
UC-18-0787	Tavern in conjunction with a shopping center	Approved by BCC	December 2018
WS-18-0789	Waiver to increase building height, alternative parking, and reduced setback for a proposed hotel.	Approved by BCC	December 2018
WS-18-0261	Modifications to an approved shopping center and hotel	Approved by BCC	May 2018
WS-18-0112	Increased the number of animated signs and a design review for signage in conjunction with an approved shopping center	Approved by BCC	April 2018
WS-18-0030	Alternative street landscaping and a design review for revisions to an approved multiple family residential development	Approved by BCC	March 2018
TM-0009-17	Commercial lot and a residential lot with 290 multiple family residential units	Approved by PC	March 2017
VS-0054-17	Vacated and abandoned a 5 foot wide portion of right-of-way being Valley View Boulevard	Approved by PC	March 2017
UC-0703-16	Increased density and building height, waivers to reduce setback from an arterial street and reduced parking for a multiple family residential development, and design reviews for a multiple family residential development, hotel, and shopping center	Approved by BCC	January 2017
UC-0314-08	Resort hotel and expansion of the Gaming Enterprise District - expired	Approved by BCC	August 2008
UC-1253-05	Shopping center - expired	Approved by BCC	October 2005
UC-0884-04	Planned unit development consisting of 542 residential units - expired	Approved by BCC	August 2004
ZC-1404-94	Reclassified the subject site to H-1 zoning	Approved by BCC	September 1994

### Surrounding Land Use

	Planned Land Use Category	Zoning District	Existing Land Use
North	Entertainment Mixed-Use	H-1	Gold Coast Resort Hotel & shopping center approved with the hotel
South	Entertainment Mixed-Use	M-1	Parking lot & warehouse facilities

**Surrounding Land Use**

	<b>Planned Land Use Category</b>	<b>Zoning District</b>	<b>Existing Land Use</b>
East	Entertainment Mixed-Use & Public Use	M-1	Undeveloped & electrical substation
West	Commercial Tourist	H-1	Palms Resort Hotel & multiple family residential development approved with the hotel

**STANDARDS FOR APPROVAL:**

The applicant shall demonstrate that the proposed request meets the goals and purposes of Title 30.

**Analysis****Current Planning**

Title 30 standards of approval on an extension of time application state that such an application may be denied or have additional conditions imposed if it is found that circumstances have substantially changed. A substantial change may include, without limitation, a change to the subject property, a change in the areas surrounding the subject property, or a change in the laws or policies affecting the subject property. Using the criteria set forth in Title 30, no substantial changes have occurred at the subject site since the original approval.

Since utility lines have been relocated, staff can support this request. However, 5 years will have elapsed from the original approval, and a new zoning code is expected to be adopted next year; therefore, this is the last extension staff will support.

**Public Works - Development Review**

There have been no significant changes in this area. Staff has no objection to this extension of time.

**Staff Recommendation**

Approval.

If this request is approved, the Board and/or Commission finds that the application is consistent with the standards and purpose enumerated in the Master Plan, Title 30, and/or the Nevada Revised Statutes.

**PRELIMINARY STAFF CONDITIONS:****Current Planning**

- Until December 19, 2023 to commence.
- Applicant is advised that the installation and use of cooling systems that consumptively use water will be prohibited; the County is currently rewriting Title 30 and future land use applications, including applications for extensions of time, will be reviewed for conformance with the regulations in place at the time of application; a substantial change in circumstances or regulations may warrant denial or added conditions to an extension of

time; and that the extension of time may be denied if the project has not commenced or there has been no substantial work towards completion within the time specified.

**Public Works - Development Review**

- Compliance with previous conditions.

**Fire Prevention Bureau**

- No comment.

**Clark County Water Reclamation District (CCWRD)**

- No comment.

**TAB/CAC:**

**APPROVALS:**

**PROTEST:**

**APPLICANT:** CAI LAS VEGAS HOTEL PARTNERS, LLC

**CONTACT:** LINDSAY KAEMPFER, KAEMPFER CROWELL, 1980 FESTIVAL PLAZA DRIVE, SUITE 650, LAS VEGAS, NV 89135